

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Trade name : SANI-PAK Powder
Part number : (E)SP-77000 Series
Formula : SP/77000/4

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use
Use of the substance/mixture : Deodorizer.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Celeste Industries Corporation
8007 Industrial Park Road
Easton, Maryland 21601 USA
T 1-410-822-5775
info@celestecorp.com - www.celestecorp.com

Distributor

Celeste Industries
400 Thames Valley Park Drive
RG6 1PT Reading, Berkshire
England
T +44 (0) 1189 637930

1.4. Emergency telephone number

Emergency number : For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident call CHEMTREC (24 hours) within USA and CANADA: 1-800-424-9300
Outside USA and Canada (collect call accepted): 1-703-527-3883

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Hazardous to the aquatic environment – Acute Hazard, Category 1	H400

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP) :



GHS05

GHS07

GHS09

Signal word (GB CLP) : Danger
Contains : 2-Bromo-2-nitro-1,3-propanediol; Sodium nitrate
Hazard statements (GB CLP) : H302 - Harmful if swallowed.
H315 - Causes skin irritation.

SANI-PAK Powder

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Precautionary statements (GB CLP)	: H318 - Causes serious eye damage. H400 - Very toxic to aquatic life. P264 - Wash hands, forearms and face thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, eye protection, face protection and hearing protection. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P391 - Collect spillage. P501 - Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and international regulations.
EUH-statements (GB CLP)	: EUH208 - Contains 4-tert-Butylcyclohexyl acetate, Octanal, 2-(phenylmethylene)-, Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)-. May produce an allergic reaction.
Unknown acute toxicity (GB CLP) - SDS	: 12.85% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 75.01% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))
Unknown hazards to the aquatic environment (GB CLP)	: Contains 12.73 % of components with unknown hazards to the aquatic environment

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of UK REACH regulation, in accordance with Annex XIII

This substance/mixture does not meet the vPvB criteria of UK REACH regulation, in accordance with Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
2-Bromo-2-nitro-1,3-propanediol	CAS-No.: 52-51-7 EC-No.: 200-143-0	10 - 15	Acute Tox. 4 (Oral), H302 (ATE=180 mg/kg bodyweight) Acute Tox. 4 (Dermal), H312 (ATE=1100 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400
Silica, amorphous	CAS-No.: 7631-86-9 EC-No.: 231-545-4	3 - 7	Not classified.
Sodium nitrate	CAS-No.: 7631-99-4 EC-No.: 231-554-3	1 - 5	Ox. Sol. 3, H272 Acute Tox. 4 (Oral), H302 (ATE=1267 mg/kg bodyweight) Eye Irrit. 2, H319
4,7-Methano-1H-indenol, 3a,4,5,6,7,7a-hexahydro-, acetate	CAS-No.: 54830-99-8 EC-No.: 259-367-2	0.5 - 1.5	Aquatic Chronic 3, H412
4-tert-Butylcyclohexyl acetate	CAS-No.: 32210-23-4 EC-No.: 250-954-9	0.1 < 1	Skin Sens. 1B, H317

SANI-PAK Powder

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Name	Product identifier	%	Classification according to GB CLP (SI 2019:720 as amended)
Octanal, 2-(phenylmethylene)- (Fragrance)	CAS-No.: 101-86-0 EC-No.: 202-983-3	0.1 < 1	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2	0.1 < 1	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Aquatic Chronic 2, H411
Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)-	CAS-No.: 103-95-7 EC-No.: 203-161-7	0.1 < 1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Call a POISON CENTER/doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin.
Symptoms/effects after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion	: Harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide (CO2). Dry chemical powder. Foam. Water fog.
Unsuitable extinguishing media	: Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon. Irritating vapours.
-------------	---

5.3. Advice for firefighters

Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
--------------------------------	--

SANI-PAK Powder

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters. Collect spillage. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain spill, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.

Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Silica, amorphous (7631-86-9)	
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA)	6 mg/m ³ (inhalable dust) 2.4 mg/m ³ (respirable dust)
WEL STEL (OEL STEL)	18 mg/m ³ (calculated-inhalable dust) 7.2 mg/m ³ (calculated-respirable dust)

8.1.2. Recommended monitoring procedures

Monitoring methods	
Monitoring methods	Consult the relevant monitoring standards for the region.

SANI-PAK Powder

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection

Eye protection:

Safety eyewear complying with an approved standard such as the European Standard EN166 should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Chemical resistant gloves (according to European standard ISO 374-1 or equivalent). Consult glove manufacturer's product information on material suitability and material thickness.

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder.
Colour	: Blue.
Odour	: pleasant.
Odour threshold	: Not available
pH	: Not available
pH solution	: Not available
Melting point	: 60 °C / 140 °F
Freezing point	: Not available
Boiling point	: Not available
Flash point	: > 93 °C / 199.4 °F
Explosive limits	: Not applicable
Vapour pressure	: Not available

SANI-PAK Powder

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Vapour pressure at 50°C	: Not available
Relative vapour density at 20°C	: Not applicable
Relative density	: 0.57
Density	: Not available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: Not available
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidising properties	: Not oxidising.

9.2. Other information

Burning time (s)	: >180 Seconds (Test O.1 Test for oxidizing solids, 4:1 Sani-Pak Powder/Cellulose)
Burning time (s)	: >180 Seconds (Test O.1 Test for oxidizing solids, 1:1 Sani-Pak Powder/Cellulose)

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Harmful if swallowed.
Acute toxicity (dermal)	: Not classified. (Based on available data, the classification criteria are not met.)
Acute toxicity (inhalation)	: Not classified. (Based on available data, the classification criteria are not met.)

SANI-PAK Powder	
ATE UK (oral)	1166.846 mg/kg bodyweight
4-tert-Butylcyclohexyl acetate (32210-23-4)	
LD50 oral rat	5 g/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Octanal, 2-(phenylmethylene)- (101-86-0)	
LD50 oral rat	3100 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HP)
LC50 inhalation rat	> 5 mg/l/4h

SANI-PAK Powder

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Amyl salicylate (2050-08-0)	
LD50 oral rat	4100 mg/kg (Source: NZ_CCID)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)- (103-95-7)	
LD50 oral rat	3810 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
2-Bromo-2-nitro-1,3-propanediol (52-51-7)	
LD50 oral rat	180 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat	> 5 g/m ³ (Exposure time: 6 h Source: NLM_CIP)
Sodium nitrate (7631-99-4)	
LD50 oral rat	1267 mg/kg (Source: JAPAN_GHS)
LD50 dermal rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Silica, amorphous (7631-86-9)	
LD50 oral rat	7900 mg/kg (Source: ATSDR)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat	> 58.8 mg/l/4h
Unknown acute toxicity (GB CLP) - SDS	: 12.85% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 75.01% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))
Skin corrosion/irritation	: Causes skin irritation.
Sodium nitrate (7631-99-4)	
pH	7 Temp.: 25 °C
Serious eye damage/irritation	: Causes serious eye damage.
Sodium nitrate (7631-99-4)	
pH	7 Temp.: 25 °C
Respiratory or skin sensitisation	: Not classified. (Based on available data, the classification criteria are not met.)
Germ cell mutagenicity	: Not classified. (Based on available data, the classification criteria are not met.)
Carcinogenicity	: Not classified. (Based on available data, the classification criteria are not met.)
Silica, amorphous (7631-86-9)	
IARC group	3 - Not classifiable
Silica, amorphous (7631-86-9)	
NOAEL (chronic, oral, animal/male, 2 years)	1800 – 3000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEL (chronic, oral, animal/female, 2 years)	1800 – 3200 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Reproductive toxicity	: Not classified. (Based on available data, the classification criteria are not met.)

SANI-PAK Powder

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Amyl salicylate (2050-08-0)	
NOAEL (animal/male, F0/P)	540 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]
NOAEL (animal/female, F0/P)	180 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]
Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)- (103-95-7)	
NOAEL (animal/male, F0/P)	25 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]
NOAEL (animal/female, F0/P)	25 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 415 [One-Generation Reproduction Toxicity Study (before 9 October 2017)]
STOT-single exposure	: Not classified. (Based on available data, the classification criteria are not met.)
2-Bromo-2-nitro-1,3-propanediol (52-51-7)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified. (Based on available data, the classification criteria are not met.)
Sodium nitrate (7631-99-4)	
NOAEL (oral, rat, 90 days)	≥ 1500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Silica, amorphous (7631-86-9)	
NOAEL (dermal, rat/rabbit, 90 days)	≥ 10000 mg/kg bodyweight Animal: rabbit
Aspiration hazard	: Not classified. (Based on available data, the classification criteria are not met.)
SANI-PAK Powder	
Viscosity, kinematic	Not applicable
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %
11.2.2. Other information	
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye
SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: Very toxic to aquatic life with long lasting effects.
Unknown hazards to the aquatic environment (GB CLP)	: Contains 12.73 % of components with unknown hazards to the aquatic environment
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified. (Based on available data, the classification criteria are not met.)
4-tert-Butylcyclohexyl acetate (32210-23-4)	
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)
EC50 - Crustacea [1]	5.3 mg/l Test organisms (species): Daphnia magna

SANI-PAK Powder

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

4-tert-Butylcyclohexyl acetate (32210-23-4)	
EC50 72h - Algae [1]	22 mg/l Test organisms (species): <i>Desmodesmus subspicatus</i> (previous name: <i>Scenedesmus subspicatus</i>)
Amyl salicylate (2050-08-0)	
LC50 - Fish [1]	1.34 mg/l Test organisms (species): <i>Danio rerio</i> (previous name: <i>Brachydanio rerio</i>)
EC50 - Crustacea [1]	0.88 mg/l Test organisms (species): <i>Daphnia magna</i>
Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)- (103-95-7)	
LC50 - Fish [1]	1.42 mg/l Test organisms (species):
LC50 - Fish [2]	2.49 mg/l Test organisms (species):
EC50 - Crustacea [1]	1.4 mg/l Test organisms (species): <i>Daphnia magna</i>
EC50 72h - Algae [1]	4.3 mg/l Test organisms (species): <i>Pseudokirchneriella subcapitata</i> (previous names: <i>Raphidocelis subcapitata</i> , <i>Selenastrum capricornutum</i>)
EC50 72h - Algae [2]	2.7 mg/l Test organisms (species): <i>Pseudokirchneriella subcapitata</i> (previous names: <i>Raphidocelis subcapitata</i> , <i>Selenastrum capricornutum</i>)
EC50 96h - Algae [1]	3.8 mg/l Test organisms (species): <i>Pseudokirchneriella subcapitata</i> (previous names: <i>Raphidocelis subcapitata</i> , <i>Selenastrum capricornutum</i>)
EC50 96h - Algae [2]	2.7 mg/l Test organisms (species): <i>Pseudokirchneriella subcapitata</i> (previous names: <i>Raphidocelis subcapitata</i> , <i>Selenastrum capricornutum</i>)
2-Bromo-2-nitro-1,3-propanediol (52-51-7)	
EC50 - Crustacea [1]	1.4 mg/l Test organisms (species): <i>Daphnia magna</i>
EC50 72h - Algae [1]	0.25 mg/l Test organisms (species): <i>Skeletonema costatum</i>
EC50 72h - Algae [2]	0.37 mg/l Test organisms (species): <i>Pseudokirchneriella subcapitata</i> (previous names: <i>Raphidocelis subcapitata</i> , <i>Selenastrum capricornutum</i>)
LOEC (chronic)	0.88 mg/l Test organisms (species): <i>Daphnia magna</i> Duration: '21 d'
NOEC (chronic)	0.27 mg/l Test organisms (species): <i>Daphnia magna</i> Duration: '21 d'
NOEC chronic fish	21.5 mg/l Test organisms (species): <i>Oncorhynchus mykiss</i> (previous name: <i>Salmo gairdneri</i>) Duration: '49 d'
Sodium nitrate (7631-99-4)	
LC50 - Fish [1]	2000 mg/l (Exposure time: 96 h - Species: <i>Lepomis macrochirus</i> [static] Source: EPA)
LC50 - Fish [2]	994.4 – 1107 mg/l (Exposure time: 96 h - Species: <i>Oncorhynchus mykiss</i> [static] Source: EPA)
Silica, amorphous (7631-86-9)	
LC50 - Fish [1]	5000 mg/l (Exposure time: 96 h - Species: <i>Brachydanio rerio</i> [static] Source: IUCLID)
EC50 - Crustacea [1]	7600 mg/l (Exposure time: 48 h - Species: <i>Ceriodaphnia dubia</i>)
EC50 72h - Algae [1]	440 mg/l (Species: <i>Pseudokirchneriella subcapitata</i>)
LOEC (chronic)	149.2 mg/l Test organisms (species): <i>Daphnia magna</i> Duration: '21 d'
12.2. Persistence and degradability	
SANI-PAK Powder	
Persistence and degradability	Not established.
4,7-Methano-1H-indenol, 3a,4,5,6,7,7a-hexahydro-, acetate (54830-99-8)	
Persistence and degradability	Rapidly degradable

SANI-PAK Powder

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

4-tert-Butylcyclohexyl acetate (32210-23-4)	
Persistence and degradability	Rapidly degradable
Octanal, 2-(phenylmethylene)- (101-86-0)	
Persistence and degradability	Rapidly degradable
Amyl salicylate (2050-08-0)	
Persistence and degradability	Rapidly degradable
Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)- (103-95-7)	
Persistence and degradability	Rapidly degradable
2-Bromo-2-nitro-1,3-propanediol (52-51-7)	
Persistence and degradability	Rapidly degradable
Sodium nitrate (7631-99-4)	
Persistence and degradability	Rapidly degradable
Silica, amorphous (7631-86-9)	
Persistence and degradability	Rapidly degradable

12.3. Bioaccumulative potential

SANI-PAK Powder	
Bioaccumulative potential	Not established.
4-tert-Butylcyclohexyl acetate (32210-23-4)	
Partition coefficient n-octanol/water	4.8 (at 25 °C)
Amyl salicylate (2050-08-0)	
BCF - Fish [1]	(1170 dimensionless (whole body w.w.))
Partition coefficient n-octanol/water	4.5 (at 30 °C)
Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)- (103-95-7)	
Partition coefficient n-octanol/water	3.4 (at 35 °C)
2-Bromo-2-nitro-1,3-propanediol (52-51-7)	
Partition coefficient n-octanol/water	0.22 (at 24 °C (at pH 7))
Sodium nitrate (7631-99-4)	
Partition coefficient n-octanol/water	-3.8 (at 25 °C)
Silica, amorphous (7631-86-9)	
BCF - Fish [1]	(no bioaccumulation expected)

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

PBT : No
vPvB : No

SANI-PAK Powder
This substance/mixture does not meet the PBT criteria of UK REACH regulation, Annex XIII

SANI-PAK Powder

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SANI-PAK Powder

This substance/mixture does not meet the vPvB criteria of UK REACH regulation, Annex XIII

12.6. Other adverse effects

Adverse effects on the environment caused by endocrine disrupting properties : The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.

Additional information : No other effects known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimised wherever possible.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

ADR	IMDG	IATA
Special provision(s) applied : 375	Exemption under IMDG code 2.10.2.7	Special provision(s) applied : A197
These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.		
14.1. UN number		
Not regulated for transport		
14.2. UN proper shipping name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
Not regulated	Not regulated	Not regulated
Environmentally hazardous substances derogation applies (quantity of liquids \leq 5 litres or net mass of solids \leq 5 kg). The environmentally hazardous substance mark is therefore not required, as stated in the ADR regulation, section 5.2.1.8.1.		
No supplementary information available.		

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

SANI-PAK Powder

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Air transport

Not regulated

Inland waterway transport

Not regulated

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

UK REACH Annex XVII (Restriction List)

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

UK REACH Candidate List (SVHC)

Contains no substance(s) listed on the UK REACH Candidate List

GB PIC regulation (Prior Informed Consent)

Not applicable.

POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

Control of Poisons and Explosives Precursors Act

This product contains no substance(s) listed as a reportable poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains substance(s) listed on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure: Sodium nitrate - 7631-99-4

This product contains substance(s) listed on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure: Phosphoric acid - 7664-38-2 (30 % w/w)

Drug Precursors Regulation (273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

15.1.2. Other Information

British National Regulations : Not determined.

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes (UK):

None.

Abbreviations and acronyms:

°C – Degrees Celsius
°F – Degrees Fahrenheit

SANI-PAK Powder

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Abbreviations and acronyms:

ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road.
ASTM: American Society for Testing and Materials
ACGIH – American Conference of Governmental Industrial Hygienists
ATE – Acute Toxicity Estimate
BCF – Bioconcentration Factor
BEI – Biological Exposure Index
CAS – Chemical Abstracts Service
CLP – Regulation (EC) No 1272/2008 on the Classification, Labeling and Packaging of substances and mixtures.
CMR – Carcinogen, Mutagen, Reproductive toxin
cP – centipoise (unit of dynamic viscosity)
cSt – centistokes (unit of kinematic viscosity)
DNEL – Derived No-effect Level
DMEL – Derived Minimal Effect Level
EC50 – Half maximal effective concentration
ECHA – European Chemicals Agency
EC-No. – European Community number
EU – European Union
GHS – Globally Harmonized System of Classification and Labelling of Chemicals
h – Hours
IATA – International Air Transport Association
IC50 – Inhibition concentration
IDLH – Immediately Dangerous to Life or Health
IMDG – International Maritime Dangerous Goods
IOELV – Indicative Occupational Exposure Limit Value
KIFS – Swedish Chemicals Agency's (KemI's) Code of Statutes
kPa – kilopascal
Koc – Adsorption Coefficient
Kow – Octanol-Water Partition Coefficient
LC50 – Median Lethal Concentration
LD50 – Median Lethal Dose
LOAEL – Lowest Observed Adverse Effect level
mg/l – Milligram per liter
mg/kg – Milligram per kilogram
mg/m³ – Milligram per cubic meter
Min – Minutes
NIOSH – National Institute for Occupational Safety and Health
NOEC – No Observed Effect Concentration
NO(A)EL – No Observed (Adverse) Effect Level
N.O.S. – Not Otherwise Specified
OEL – Occupational Exposure Limit
PBT - Persistent, Bioaccumulative and Toxic
PCN – Poison Centre Notification
PNEC – Predicted No Effect Concentration
ppm – Parts per million
PVC – Polyvinyl chloride
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID – European Agreement concerning the International Carriage of Dangerous Goods by Rail
SDS – Safety Data Sheet
STEL – Short Term Exposure Limit
STOT – Specific Target Organ Toxicity
SVHC – Substance of Very High Concern (CMR, vPvB, PBT)
TDI – Tolerable Daily Intake
TLV – Threshold Limit Value
TWA – Time Weighted Average
UFI – Unique Formulation Identifier
UN – United Nations
vPvB - Very Persistent and Very Bioaccumulative
WEL – Workplace Exposure Limit
WGK – Wassergefährdungsklasse – German water quality classification

SANI-PAK Powder

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Prepared by : Nexreg Compliance Inc.

www.Nexreg.com



Full text of H- and EUH-statements:

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH208	Contains 4-tert-Butylcyclohexyl acetate, Octanal, 2-(phenylmethylene)-, Benzenepropanal, .alpha.-methyl-4-(1-methylethyl)-, Benzene, 1-methoxy-4-(1-propenyl)-, (E)-, (-)-Menthone. May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H272	May intensify fire; oxidiser.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Ox. Sol. 3	Oxidising Solids, Category 3
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Acute Tox. 4 (Oral)	H302	Calculation method
---------------------	------	--------------------

SANI-PAK Powder

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method
Aquatic Acute 1	H400	Calculation method

Safety Data Sheet (SDS), UK - NEXREG 2024

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.