

### SECTION 1: Product identifier

#### 1.1. GHS Product identifier

Product form : Mixture  
Trade name : SANI-PAK Toilet Deodorant Concentrate  
Product code : Formula: LB-97000M  
Part No: SP-97000/QT/D

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Deodorizer.

#### 1.4. Details of manufacturer or importer

##### Supplier

Celeste Industries Corporation  
8007 Industrial Park Road  
Easton, Maryland 21601 USA  
T 1-410-822-5775  
[info@celestecorp.com](mailto:info@celestecorp.com) - [www.celestecorp.com](http://www.celestecorp.com)

##### Distributor

Boeing Distribution Australia Pty Ltd  
20-22 Lindaway Place  
Tullamarine, Vic 3043  
T 61-3-9339-3000 / 61-3-9338-9773  
[prc@boeing.com](mailto:prc@boeing.com)

#### 1.5. Emergency phone number

Emergency number : For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident call CHEMTREC (24 hours) within USA and CANADA: 1-800-424-9300; Outside USA and Canada (collect call accepted): 1-703-527-3883

### SECTION 2: Hazard identification

#### 2.1. Classification of the hazardous chemical

##### Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Corrosive to metals, Category 1	H290
Acute toxicity (dermal), Category 4	H312
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, category 1A	H317

#### 2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU) :



Corrosion Exclamation mark

Signal word (GHS AU) :

Danger

Contains :

Poly(oxy-1,2-ethanediyl), .alpha.-hydro.-omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates (1 – 5 %); Octanal, 2-(phenylmethylene)- (0.1 - 1 %); Ethanone, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)- (< 1 %);.beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt (1 – 5 %); Alcohols, C9-11, ethoxylated (3 - 7 %); 3(2H)-Isothiazolone, 5-chloro-2-methyl- (0.1 - 1 %); 2-Bromo-2-nitro-1,3-propanediol (3 - 7 %)

Hazard statements (GHS AU) :

H290 - May be corrosive to metals  
H312 - Harmful in contact with skin  
H315 - Causes skin irritation

# SANI-PAK Toilet Deodorant Concentrate

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Precautionary statements (GHS AU)	: H317 - May cause an allergic skin reaction H318 - Causes serious eye damage P234 - Keep only in original container. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash hands, forearms and face thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P362+P364 - Take off contaminated clothing and wash it before reuse. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER or doctor. P390 - Absorb spillage to prevent material damage. P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Unknown acute toxicity (GHS AU)	: 1% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 1% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 1% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Vapours))

### 2.3. Other hazards which do not result in classification

No additional information available

## SECTION 3: Composition and information on ingredients

Name	CAS-No.	%
Alcohols, C9-11, ethoxylated	68439-46-3	5 - 10
2-Bromo-2-nitro-1,3-propanediol	52-51-7	3 - 7
.beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt	14960-06-6	1 - 5
Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates	68130-47-2	0.1 - 1
Octanal, 2-(phenylmethylene)- (Fragrance)	101-86-0	0.1 - 1
3(2H)-Isothiazolone, 5-chloro-2-methyl-	26172-55-4	0.1 - 1
3(2H)-Isothiazolone, 2-methyl-	2682-20-4	0.1 - 1
Non-hazardous or chemicals not contributing to final classification	Proprietary	To 100%

## SECTION 4: First aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of Water. Take off contaminated clothing and wash it before reuse. Immediately call a POISON CENTER/doctor.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: IF SWALLOWED: Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a POISON CENTER/doctor if you feel unwell.

### 4.2. Symptoms caused by exposure

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: Harmful in contact with skin. Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause an allergic skin reaction.

# SANI-PAK Toilet Deodorant Concentrate

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

- Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
- Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### 4.3. Medical attention and special treatment

- Other medical advice or treatment : Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Water fog. Foam. Dry chemical. Carbon dioxide.
- Unsuitable extinguishing media : Do not use water jet.

### 5.2. Specific hazards arising from the chemical

- Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon. Irritating vapours.
- General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

### 5.3. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
- Hazchem Code : \* 3Z

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

### 6.3. Methods and materials for containment and cleaning up

- For containment : Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.
- Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation. Absorb spillage to prevent material damage.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : May be corrosive to metals.
- Precautions for safe handling : Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Wear appropriate PPE (see Section 8).

# SANI-PAK Toilet Deodorant Concentrate

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Hygiene measures : Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands, forearms and face thoroughly after handling.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place. Store in corrosive resistant container with a resistant inner liner.

Incompatible materials : Refer to Section 10 on Incompatible Materials.

## SECTION 8: Exposure controls and personal protection

### 8.1. Control parameters - exposure standards

No additional information available

### 8.2. Biological Monitoring

No additional information available

### 8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.

### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Wear suitable gloves resistant to chemical penetration. Consult glove manufacturer's product information on material suitability and material thickness.

Eye protection : Wear eye/face protection

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

Environmental exposure controls : Avoid release to the environment.

Other information : Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

Physical state : Liquid

Appearance : No data available

Colour : Colourless

Odour : Pleasant

Odour threshold : No data available

pH : 4 – 6

pH solution : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting point / Freezing point : Melting point:  $\leq 32\text{ }^{\circ}\text{F}$  ( $\leq 0\text{ }^{\circ}\text{C}$ )

Boiling point :  $212\text{ }^{\circ}\text{F}$  ( $100\text{ }^{\circ}\text{C}$ )

Flash point :  $> 199.4\text{ }^{\circ}\text{F}$  ( $> 93.0\text{ }^{\circ}\text{C}$ )

Auto-ignition temperature : No data available

Flammability : No data available

Vapour pressure : No data available

Relative density : No data available

Density : Relative density:  $\geq 1\text{ g/cm}^3$

Solubility : Water: Soluble.

Partition coefficient n-octanol/water : No data available

Explosive properties : No data available

Explosive limits : No data available

Minimum ignition energy : No data available

# SANI-PAK Toilet Deodorant Concentrate

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Fat solubility	: No data available
Corrosion rate	: Corrosion rate over 6.25 mm/year or localized corrosion Greater than 0.120 mm in depth (any test specimen)

### SECTION 10: Stability and reactivity

Reactivity	: No dangerous reactions known under normal conditions of use.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Heat. Incompatible materials.
Incompatible materials	: Strong oxidizers. Metals.
Hazardous decomposition products	: May include, and are not limited to: oxides of carbon. Irritating vapours.

### SECTION 11: Toxicological information

Acute toxicity (oral)	: Not classified.
Acute toxicity (dermal)	: Harmful in contact with skin.
Acute toxicity (inhalation)	: Not classified.

ATE AU (dermal)	1067 mg/kg bodyweight
-----------------	-----------------------

#### Octanal, 2-(phenylmethylene)- (101-86-0)

LD50 oral rat	3100 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 3000 mg/kg (Source: EPA_HPVP)
LC50 inhalation rat	> 5 mg/l/4h

#### Alcohols, C9-11, ethoxylated (68439-46-3)

LD50 oral rat	1400 mg/kg (Source: NZ_CCID)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

#### 3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4)

LD50 oral rat	481 mg/kg (Source: IUCLID)
LC50 inhalation rat	1.23 mg/l/4h

#### 3(2H)-Isothiazolone, 2-methyl- (2682-20-4)

LD50 oral rat	120 mg/kg (Source: EU_CLH)
LD50 dermal rabbit	200 mg/kg (Source: NLM_HSDB)
LC50 inhalation rat	0.11 mg/l/4h

#### 2-Bromo-2-nitro-1,3-propanediol (52-51-7)

LD50 oral rat	180 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat	> 5 g/m <sup>3</sup> (Exposure time: 6 h Source: NLM_CIP)

Unknown acute toxicity (GHS AU)	: 1% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 1% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 1% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Vapours))
Skin corrosion/irritation	: Causes skin irritation. pH: 4 – 6
Serious eye damage/irritation	: Causes serious eye damage. pH: 4 – 6
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified.

# SANI-PAK Toilet Deodorant Concentrate

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Carcinogenicity : Not classified.  
Reproductive toxicity : Not classified.  
STOT-single exposure : Not classified.

### 2-Bromo-2-nitro-1,3-propanediol (52-51-7)

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified.

### .beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt (14960-06-6)

NOAEL (oral, rat, 90 days) : 160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:

### Alcohols, C9-11, ethoxylated (68439-46-3)

NOAEL (oral, rat, 90 days) : ≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

### 3(2H)-Isothiazolone, 2-methyl- (2682-20-4)

LOAEL (oral, rat, 90 days) : 71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: other:

STOT-repeated exposure : May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified.

### Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates (68130-47-2)

Animal studies and expert judgment for classification : False

### Octanal, 2-(phenylmethylene)- (101-86-0)

Animal studies and expert judgment for classification : False

### .beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt (14960-06-6)

Animal studies and expert judgment for classification : False

### Alcohols, C9-11, ethoxylated (68439-46-3)

Animal studies and expert judgment for classification : False

### 3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4)

Animal studies and expert judgment for classification : False

### 3(2H)-Isothiazolone, 2-methyl- (2682-20-4)

Animal studies and expert judgment for classification : False

### 2-Bromo-2-nitro-1,3-propanediol (52-51-7)

Animal studies and expert judgment for classification : False

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye

## SECTION 12: Ecological information

According to the National Code of Practice for the Preparation of Material Safety Data Sheets, Environmental classification information is not mandatory. Information relevant for GHS classification is available on request

### 12.1. Ecotoxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.  
Hazardous to the aquatic environment, short-term (acute) : Not classified.  
Hazardous to the aquatic environment, long-term (chronic) : Not classified.  
Other information : No other effects known.

# SANI-PAK Toilet Deodorant Concentrate

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

<b>.beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt (14960-06-6)</b>	
LC50 - Fish [1]	4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
LC50 - Fish [2]	≈ 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	1.71 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	5.7 mg/l Test organisms (species): Daphnia magna
Partition coefficient n-octanol/water	≤ -2.12 (at 20 °C)

<b>Alcohols, C9-11, ethoxylated (68439-46-3)</b>	
LC50 - Fish [1]	5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	2.5 mg/l Test organisms (species): Daphnia magna

<b>3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4)</b>	
LC50 - Fish [1]	1.6 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
EC50 - Crustacea [1]	4.71 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Crustacea [2]	0.12 – 0.3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])
Partition coefficient n-octanol/water	-0.71 – 0.75 (at 20 °C)

<b>3(2H)-Isothiazolone, 2-methyl- (2682-20-4)</b>	
LC50 - Fish [1]	4.77 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	1.6 mg/l Test organisms (species): Daphnia magna
Partition coefficient n-octanol/water	-0.26 (at 20 °C (at pH 5))

<b>2-Bromo-2-nitro-1,3-propanediol (52-51-7)</b>	
EC50 - Crustacea [1]	1.4 mg/l Test organisms (species): Daphnia magna
LOEC (chronic)	0.88 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	21.5 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '49 d'
Partition coefficient n-octanol/water	0.22 (at 24 °C (at pH 7))

## 12.2. Persistence and degradability

<b>SANI-PAK Toilet Deodorant Concentrate</b>	
Persistence and degradability	Not established.

## 12.3. Bioaccumulative potential

<b>SANI-PAK Toilet Deodorant Concentrate</b>	
Bioaccumulative potential	Not established.

<b>.beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt (14960-06-6)</b>	
Partition coefficient n-octanol/water	≤ -2.12 (at 20 °C)

<b>3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4)</b>	
Partition coefficient n-octanol/water	-0.71 – 0.75 (at 20 °C)

# SANI-PAK Toilet Deodorant Concentrate

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

### 3(2H)-Isothiazolone, 2-methyl- (2682-20-4)

Partition coefficient n-octanol/water	-0.26 (at 20 °C (at pH 5))
---------------------------------------	----------------------------

### 2-Bromo-2-nitro-1,3-propanediol (52-51-7)

Partition coefficient n-octanol/water	0.22 (at 24 °C (at pH 7))
---------------------------------------	---------------------------

## 12.4. Mobility in soil

### .beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt (14960-06-6)

Partition coefficient n-octanol/water	≤ -2.12 (at 20 °C)
---------------------------------------	--------------------

### 3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4)

Partition coefficient n-octanol/water	-0.71 – 0.75 (at 20 °C)
---------------------------------------	-------------------------

### 3(2H)-Isothiazolone, 2-methyl- (2682-20-4)

Partition coefficient n-octanol/water	-0.26 (at 20 °C (at pH 5))
---------------------------------------	----------------------------

### 2-Bromo-2-nitro-1,3-propanediol (52-51-7)

Partition coefficient n-octanol/water	0.22 (at 24 °C (at pH 7))
---------------------------------------	---------------------------

## 12.5. Other adverse effects

Ozone : Not classified.  
Other adverse effects : No additional information available

### SANI-PAK Toilet Deodorant Concentrate

Fluorinated greenhouse gases	False
------------------------------	-------

### Poly(oxy-1,2-ethanediyl), .alpha.-hydro.-omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates (68130-47-2)

Fluorinated greenhouse gases	False
------------------------------	-------

### Octanal, 2-(phenylmethylene)- (101-86-0)

Fluorinated greenhouse gases	False
------------------------------	-------

### .beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt (14960-06-6)

Fluorinated greenhouse gases	False
------------------------------	-------

### Alcohols, C9-11, ethoxylated (68439-46-3)

Fluorinated greenhouse gases	False
------------------------------	-------

### 3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4)

Fluorinated greenhouse gases	False
------------------------------	-------

### 3(2H)-Isothiazolone, 2-methyl- (2682-20-4)

Fluorinated greenhouse gases	False
------------------------------	-------

### 2-Bromo-2-nitro-1,3-propanediol (52-51-7)

Fluorinated greenhouse gases	False
------------------------------	-------

## SECTION 13: Disposal considerations

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimized wherever possible.

# SANI-PAK Toilet Deodorant Concentrate

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

### SECTION 14: Transport information

#### 14.1. UN number

UN-No. (ADG) : 3265  
UN-No. (IMDG) : 3265  
UN-No. (IATA) : 3265

#### 14.2. UN Proper Shipping Name

Proper Shipping Name (ADG) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
Proper Shipping Name (IMDG) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.  
Proper Shipping Name (IATA) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

#### 14.3. Transport hazard class(es)

##### ADG

Transport hazard class(es) (ADG) : 8  
Danger labels (ADG) : 8



##### IMDG

Transport hazard class(es) (IMDG) : 8  
Danger labels (IMDG) : 8



##### IATA

Transport hazard class(es) (IATA) : 8  
Danger labels (IATA) : 8



#### 14.4. Packing group

Packing group (ADG) : III - Substances presenting low danger  
Packing group (IMDG) : III  
Packing group (IATA) : III

#### 14.5. Environmental hazards

Marine pollutant : No  
Dangerous for the environment : No  
Other information : No supplementary information available.

#### 14.6. Special precautions for user

Specific storage requirement : No data available  
Shock sensitivity : No data available

#### 14.7. Additional information

Other information : No supplementary information available.  
Special transport precautions : Do not handle until all safety precautions have been read and understood.

# SANI-PAK Toilet Deodorant Concentrate

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

### Transport by road and rail

UN-No. (ADG)	: 3265
Special provision (ADG)	: 223, 274
Limited quantities (ADG)	: 5I
Excepted quantities (ADG)	: E1
Packing instructions (ADG)	: P001, IBC03, LP01
Portable tank and bulk container instructions (ADG)	: T7
Portable tank and bulk container special provisions (ADG)	: TP1, TP28

### Transport by sea

UN-No. (IMDG) : 3265

### Air transport

UN-No. (IATA) : 3265

## 14.8. Hazchem or Emergency Action Code

Hazchem Code : 2X

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

### 15.2. International agreements

No additional information available

## SECTION 16: Other information

Revision date	: 6/28/2024
Expiry date	: 6/28/2029
Other information	: None.
Prepared by	: Nexreg Compliance Inc. <a href="http://www.Nexreg.com">www.Nexreg.com</a>



Classification	
Met. Corr. 1	H290
Acute Tox. 4 (Dermal)	H312
Skin Irrit. 2	H315
Eye Dam. 1	H318
Skin Sens. 1A	H317

Full text of H-statements	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A

# SANI-PAK Toilet Deodorant Concentrate

## Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

Full text of H-statements	
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
H290	May be corrosive to metals
H301	Toxic if swallowed
H310	Fatal in contact with skin
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H330	Fatal if inhaled
H373	May cause damage to organs through prolonged or repeated exposure

Safety Data Sheet (SDS), Australia - Nexreg 2022

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.