

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : SANI-PAK Toilet Deodorant Concentrate
Product code : Formula : LG-97000M
Part No: SP-97000/QT/D

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Deodorizer.

1.3. Supplier

Supplier

Celeste Industries Corporation
8007 Industrial Park Road
Easton, Maryland 21601 USA
T 1-410-822-5775

info@celestecorp.com - www.celestecorp.com

Distributor

ITW Permatex Canada
2360 Bristol Circle, Ste 101
Oakville, ON L6H 6M5 - Canada
T 1-800-241-8334

1.4. Emergency telephone number

Emergency number : For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident call CHEMTREC (24 hours) within USA and CANADA: 1-800-424-9300; Outside USA and Canada (collect call accepted): 1-703-527-3883

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS classification

Met. Corr. 1
Acute Tox. 4 (Oral)
Skin Irrit. 2
Eye Dam. 1
Skin Sens. 1A

2.2. GHS Label elements, including precautionary statements

GHS labelling

Hazard pictograms (GHS) :



Signal word (GHS) :

Danger

Hazard statements (GHS) :

May be corrosive to metals.
Harmful if swallowed.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.

Precautionary statements (GHS) :

Keep only in original container.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash hands, forearms and face thoroughly after handling.
Do not eat, drink or smoke when using this product
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.

SANI-PAK Toilet Deodorant Concentrate

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

If swallowed: Call a poison center or doctor if you feel unwell.
Rinse mouth.
If on skin: Wash with plenty of water.
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center or doctor.
Absorb spillage to prevent material damage.
Store in corrosive resistant container with a resistant inner liner.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity

4.15% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Alcohols, C9-11, ethoxylated	Alcohols, C9-11, ethoxylated C9-11 PARETH-6 / C9-11 PARETH-2 / Alcohol (C9-11) poly(2.5-9)ethoxylate / C9-11 Alcohols ethoxylated / C9-11 ALKETH-3 / C9-11 Pareth-6 / C9-11 Pareth-3 / Polyethylene glycol, nonyl, decyl, undecyl ether / Alkyl(C9-11) alcohol, ethoxylated / C9-11 Pareth / Ethoxylated alcohols(C9-11) / C9-11 PARETH-8 / C9-11 PARETH-4 / C9-11 Pareth-4 / C9-11 Pareth-8 / C9-11 PARETH-3	CAS-No.: 68439-46-3	5 – 10
2-Bromo-2-nitro-1,3-propanediol	2-Bromo-2-nitro-1,3-propanediol Bronopol / Propane-1,3-diol, 2-bromo-2-nitro- / 1,3-Propanediol, 2-bromo-2-nitro- / 2-BROMO-2-NITROPROPANE-1,3-DIOL / 2-Bromo-2-nitropropane-1,3-diol	CAS-No.: 52-51-7	1 – 5
.beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt	.beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt N-Lauryl-.beta.-iminodipropionic acid, sodium salt / .beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, sodium salt (1:1) / Sodium N-(2-carboxyethyl)-N-dodecyl-.beta.-alaninate / Sodium lauryliminodipropionate / Sodium 3-[(2-carboxyethyl)(dodecyl)amino]propanoate / Sodium lauriminodipropionate / SODIUM LAURIMINODIPROPIONATE	CAS-No.: 14960-06-6	1 – 5
Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates	Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates C8-10-Alkyl alcohol ethoxylate, phosphate ester / Polyethyleneglycol monoalkyl (C8-10) ether phosphate / Polyethylene glycol mono alkyl (C8-10) ether phosphate / .alpha.-Hydroxy-.omega.-hydroxypoly(oxy-1,2-ethanediyl)alkyl (C8-10) ethers phosphate / C8-10 Alkyl alcohol ethoxylate (4EO), phosphate ester	CAS-No.: 68130-47-2	0.1 - 1

SANI-PAK Toilet Deodorant Concentrate

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

Name	Chemical name / Synonyms	Product identifier	%
3(2H)-Isothiazolone, 5-chloro-2-methyl-	3(2H)-Isothiazolone, 5-chloro-2-methyl-5-Chloro-2-methyl-isothiazolone-3(2H)-one / 2-Methyl-5-chloro-2H-isothiazol-3-one / 3(2H)-Isothiazolon-3-one, 5-chloro-2-methyl- / CIT / 5-Chloro-2-methyl-isothiazolin-3(2H)-one / 5-Chloro-2-methyl-4-thiazoline-3-ketone / 5-Chloro-2-methylisothiazol-3(2H)-one / 2H-Isothiazol-3-one, 5-chloro-2-methyl- / 5-Chloro-2-methylisothiazolone / methylchloroisothiazolinone / 2-Methyl-5-chloroisothiazolin-3-one / 5-Chloro-2-methyl-3(2H)-isothiazolone / METHYLCHLOROISOTHIAZOLINONE / Methylchloroisothiazolinone / 4-Isothiazolin-3-one, 5-chloro-2-methyl- / Isothiazol(2H)-3-one, 5-chloro-2-methyl- / 5-Chloro-2-methyl-4-isothiazolin-3-one / 5-Chloro-2-methyl-2H-isothiazol-3-one / 5-Chloro-2-methyl-3-isothiazolone	CAS-No.: 26172-55-4	0.1 - 1
Ethanone, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)-	Ethanone, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)-1-(2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethan-1-one / Naphthalenone, 1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-aceto- / 1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-acetonaphthalenone / 1-(2,3,8,8-tetramethyl-1,2,3,4,5,6,7,8-octahydronaphthalen-2-yl)ethanone / 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone / 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	CAS-No.: 54464-57-2	0.1 - 1
Terpenes and Terpenoids, sweet orange-oil	Terpenes and Terpenoids, sweet orange-oil Sweet orange oil terpenes / Terpenes and terpenoids, orange oil / Oils, sweet orange (terpenes and terpenoids) / Terpenes and terpenoids, sweet orange-oil / Terpenes and terpenoids, orange-oil / Orange, sweet, extract / Orange terpenes / Orange oil, sweet, terpenes	CAS-No.: 68647-72-3	0.1 - 1
Citral	Citral 3,7-Dimethyl-2,6-octadienal / 2,6-Octadienal, 3,7-dimethyl- / CITRAL / 3,7-Dimethylocta-2,6-dien-8-al / citral	CAS-No.: 5392-40-5	0.1 - 1
3(2H)-Isothiazolone, 2-methyl-	3(2H)-Isothiazolone, 2-methyl-2-Methyl-2,3-dihydroisothiazol-3-one / 2-Methylisothiazol-3(2H)-one / 3(2H)-Isothiazolon-3-one, 2-methyl- / 2-Methylisothiazolin-3(2H)-one / N-Methyl-isothiazolone / methylisothiazolinone / MIT / METHYLISOTHIAZOLINONE / Methyl-4-isothiazolin-3-one, 2- / Methylisothiazolone / Methylisothiazolinone / 2-Methyl-4-isothiazolone-3-one / 2-Methyl-4-isothiazolin-3-one / 2-Methyl-2H-isothiazol-3-one / 3-Isothiazolone, 2-methyl- / 2-Methyl-3-isothiazolone	CAS-No.: 2682-20-4	0.1 - 1

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of Water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: IF SWALLOWED: Rinse mouth. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Call a POISON CENTER/doctor if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
-----------------------------------	--

SANI-PAK Toilet Deodorant Concentrate

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion	: Harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Water fog. Foam. Dry chemical. Carbon dioxide.
Unsuitable extinguishing media	: Do not use water jet.

5.2. Specific hazards arising from the chemical

Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon. Irritating vapours.
-------------	---

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
------------------	--

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed	: May be corrosive to metals.
-----------------------------------	-------------------------------

SANI-PAK Toilet Deodorant Concentrate

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

Precautions for safe handling	: Avoid contact with skin. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Ensure adequate ventilation. Wear appropriate PPE (see Section 8).
Hygiene measures	: Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place. Store in corrosive resistant container with a resistant inner liner.
Incompatible materials	: Refer to Section 10 on Incompatible Materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

SANI-PAK Toilet Deodorant Concentrate	
No additional information available	
Poly(oxy-1,2-ethanediyl), .alpha.-hydro.-omega.-hydroxy-, mono-C8-10-alkyl ethers, phosphates (68130-47-2)	
No additional information available	
Ethanone, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)- (54464-57-2)	
No additional information available	
Terpenes and Terpenoids, sweet orange-oil (68647-72-3)	
No additional information available	
.beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt (14960-06-6)	
No additional information available	
Alcohols, C9-11, ethoxylated (68439-46-3)	
No additional information available	
3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4)	
No additional information available	
3(2H)-Isothiazolone, 2-methyl- (2682-20-4)	
No additional information available	
Citral (5392-40-5)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	5 ppm (inhalable fraction and vapor)
ACGIH chemical category	Not Classifiable as a Human Carcinogen, Skin - potential significant contribution to overall exposure by the cutaneous route, dermal sensitizer
2-Bromo-2-nitro-1,3-propanediol (52-51-7)	
No additional information available	

Exposure limit values for the other components

Ethylene oxide (75-21-8)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	1 ppm

SANI-PAK Toilet Deodorant Concentrate

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

Ethylene oxide (75-21-8)	
ACGIH chemical category	Suspected Human Carcinogen
USA - ACGIH - Biological Exposure Indices	
BEI	Parameter: N-(2-Hydroxyethyl)valine (HEV) hemoglobin adducts - Medium: blood - Sampling time: not critical (applies to workers having representative Ethylene oxide exposure during the previous 120 days) Parameter: S-(2-Hydroxyethyl)mercapturic acid (HEMA) - Medium: urine - Sampling time: end of shift (nonspecific, population based)
USA - OSHA - Occupational Exposure Limits	
OSHA PEL TWA	1 ppm
OSHA PEL STEL	5 ppm (see 29 CFR 1910.1047)
Remark (OSHA)	Ethylene Oxide is subject to the standard 29 CFR 1910.1047, which may contain specific requirements for handling including protective equipment, regulated areas, monitoring and medical surveillance. The employer should review the standard and assure compliance with applicable requirements.
USA - IDLH - Occupational Exposure Limits	
IDLH	800 ppm
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL TWA	0.18 mg/m ³ (less than stated value)
	0.1 ppm (less than stated value)
NIOSH REL C	9 mg/m ³
	5 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:
Wear suitable gloves resistant to chemical penetration. Consult glove manufacturer's product information on material suitability and material thickness.
Eye protection:
Wear eye/face protection
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SANI-PAK Toilet Deodorant Concentrate

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless
Odour	: Pleasant
Odour threshold	: No data available
pH	: 4 – 6
Melting point	: $\leq 32\text{ }^{\circ}\text{F}$ ($\leq 0\text{ }^{\circ}\text{C}$)
Freezing point	: No data available
Boiling point	: $212\text{ }^{\circ}\text{F}$ ($100\text{ }^{\circ}\text{C}$)
Flash point	: $> 199.4\text{ }^{\circ}\text{F}$ ($> 93.0\text{ }^{\circ}\text{C}$)
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: Not flammable.
Vapour pressure	: No data available
Relative vapour density at $20\text{ }^{\circ}\text{C}$ / $68\text{ }^{\circ}\text{F}$: No data available
Relative density	: $\geq 1\text{ g/cm}^3$
Solubility	: Water: Soluble
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

Corrosion rate	: Corrosion rate over 6.25 mm/year or localized corrosion Greater than 0.120 mm in depth (any test specimen)
----------------	---

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials.

10.5. Incompatible materials

Strong oxidizers. Metals.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. Irritating vapours.

SANI-PAK Toilet Deodorant Concentrate

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified.
Acute toxicity (inhalation) : Not classified.

SANI-PAK Toilet Deodorant Concentrate	
ATE CA (oral)	992.361 mg/kg bodyweight
Unknown acute toxicity (GHS CA)	4.15% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)
Citral (5392-40-5)	
LD50 oral rat	4960 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	2250 mg/kg (Source: NLM_CIP)
ATE CA (oral)	4960 mg/kg bodyweight
ATE CA (Dermal)	2250 mg/kg bodyweight
Alcohols, C9-11, ethoxylated (68439-46-3)	
LD50 oral rat	1400 mg/kg (Source: NZ_CCID)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 inhalation rat	> 1.6 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
ATE CA (oral)	1400 mg/kg bodyweight
3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4)	
LD50 oral rat	481 mg/kg (Source: IUCLID)
LC50 inhalation rat	1.23 mg/l/4h
ATE CA (oral)	5 mg/kg bodyweight
ATE CA (Gases)	100 ppmv/4h
ATE CA (vapours)	1.23 mg/l/4h
ATE CA (dust,mist)	1.23 mg/l/4h
3(2H)-Isothiazolone, 2-methyl- (2682-20-4)	
LD50 oral rat	120 mg/kg (Source: EU_CLH)
LD50 dermal rabbit	200 mg/kg (Source: NLM_HSDB)
LC50 inhalation rat	0.11 mg/l/4h
ATE CA (oral)	120 mg/kg bodyweight
ATE CA (Dermal)	200 mg/kg bodyweight
ATE CA (Gases)	100 ppmv/4h
ATE CA (vapours)	0.11 mg/l/4h
ATE CA (dust,mist)	0.11 mg/l/4h
2-Bromo-2-nitro-1,3-propanediol (52-51-7)	
LD50 oral rat	180 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

SANI-PAK Toilet Deodorant Concentrate

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

2-Bromo-2-nitro-1,3-propanediol (52-51-7)	
LC50 inhalation rat	> 5 g/m ³ (Exposure time: 6 h Source: NLM_CIP)
ATE CA (oral)	180 mg/kg bodyweight
ATE CA (Dermal)	1100 mg/kg bodyweight

Skin corrosion/irritation	: Causes skin irritation. pH: 4 – 6
Serious eye damage/irritation	: Causes serious eye damage. pH: 4 – 6
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.

Citral (5392-40-5)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)

Reproductive toxicity	: Not classified.
STOT-single exposure	: Not classified.

2-Bromo-2-nitro-1,3-propanediol (52-51-7)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure	: Not classified.
------------------------	-------------------

Citral (5392-40-5)	
LOAEC (inhalation, rat, gas, 90 days)	68 ppm Animal: rat, Animal sex: female
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEC (inhalation, rat, gas, 90 days)	34 ppm Animal: rat, Animal sex: female
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)

.beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt (14960-06-6)	
NOAEL (oral, rat, 90 days)	160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test), Guideline: other:

Alcohols, C9-11, ethoxylated (68439-46-3)	
NOAEL (oral, rat, 90 days)	≥ 500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

3(2H)-Isothiazolone, 2-methyl- (2682-20-4)	
LOAEL (oral, rat, 90 days)	71.2 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: other:

Aspiration hazard	: Not classified.
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns.
Symptoms/effects after ingestion	: Harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

SANI-PAK Toilet Deodorant Concentrate

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Citral (5392-40-5)	
LC50 - Fish [1]	6.78 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	6.8 mg/l Test organisms (species): Daphnia magna
.beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt (14960-06-6)	
LC50 - Fish [1]	4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	1.71 mg/l Test organisms (species): Daphnia magna
LC50 - Fish [2]	≈ 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [2]	5.7 mg/l Test organisms (species): Daphnia magna
Alcohols, C9-11, ethoxylated (68439-46-3)	
LC50 - Fish [1]	5 – 7 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	2.5 mg/l Test organisms (species): Daphnia magna
3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4)	
LC50 - Fish [1]	1.6 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
EC50 - Crustacea [1]	4.71 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Crustacea [2]	0.12 – 0.3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])
3(2H)-Isothiazolone, 2-methyl- (2682-20-4)	
LC50 - Fish [1]	4.77 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	1.6 mg/l Test organisms (species): Daphnia magna
2-Bromo-2-nitro-1,3-propanediol (52-51-7)	
EC50 - Crustacea [1]	1.4 mg/l Test organisms (species): Daphnia magna
LOEC (chronic)	0.88 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	21.5 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '49 d'

12.2. Persistence and degradability

SANI-PAK Toilet Deodorant Concentrate	
Persistence and degradability	Not established.

12.3. Bioaccumulative potential

SANI-PAK Toilet Deodorant Concentrate	
Bioaccumulative potential	Not established.
Citral (5392-40-5)	
Partition coefficient n-octanol/water	2.76 (at 25 °C)

SANI-PAK Toilet Deodorant Concentrate

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

.beta.-Alanine, N-(2-carboxyethyl)-N-dodecyl-, monosodium salt (14960-06-6)	
Partition coefficient n-octanol/water	≤ -2.12 (at 20 °C)
3(2H)-Isothiazolone, 5-chloro-2-methyl- (26172-55-4)	
Partition coefficient n-octanol/water	-0.71 – 0.75 (at 20 °C)
3(2H)-Isothiazolone, 2-methyl- (2682-20-4)	
Partition coefficient n-octanol/water	-0.26 (at 20 °C (at pH 5))
2-Bromo-2-nitro-1,3-propanediol (52-51-7)	
Partition coefficient n-octanol/water	0.22 (at 24 °C (at pH 7))

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : No other effects known.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be avoided or minimized wherever possible.

SECTION 14: Transport information

In accordance with DOT / TDG

14.1. UN number

UN-No.(DOT) : UN3265
UN-No. (TDG) : UN3265

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Corrosive liquid, acidic, organic, n.o.s.
Proper Shipping Name (TDG) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 8
Hazard labels (DOT) : 8



TDG

Transport hazard class(es) (TDG) : 8
Hazard labels (TDG) : 8

SANI-PAK Toilet Deodorant Concentrate

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS



14.4. Packing group

Packing group (DOT) : III
Packing group (TDG) : III

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1 Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

15.2. International regulations

No additional information available

15.3. US State regulations

⚠ WARNING: This product can expose you to Acetaldehyde, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

Revision date : 06/28/2024
Other information : None.
Prepared by : Nexreg Compliance Inc.
www.Nexreg.com



Full text of hazard classes and H-statements

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Met. Corr. 1	Corrosive to metals, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2

SANI-PAK Toilet Deodorant Concentrate

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

Full text of hazard classes and H-statements	
Skin Sens. 1A	Skin sensitisation, Category 1A

SDS HazCom 2012 - WHMIS 2015 (Nexreg) 2023

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.