

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Issue date: 2024-09-25
Revision date: 2024-09-25
Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Flight Fresh Deodorant Disc (Fresh Breeze)
Product code : Formula: SD224/2
Part No: SD-5500U

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Air freshener
Deodorizer.

1.3. Supplier

Manufacturer

Celeste Industries Corporation
8007 Industrial Park Road
Easton, Maryland 21601 USA
T 1-410-822-5775

info@celestecorp.com - www.celestecorp.com

Distributor

ITW Permatex Canada
2360 Bristol Circle, Ste 101
Oakville, ON L6H 6M5 - Canada
T 1-800-241-8334

1.4. Emergency telephone number

Emergency number : For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident call CHEMTREC (24 hours) within USA and CANADA: 1-800-424-9300; Outside USA and Canada (collect call accepted): 1-703-527-3883

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS classification

Skin Irrit. 2
Eye Irrit. 2A
Skin Sens. 1

2.2. GHS Label elements, including precautionary statements

GHS labelling

Hazard pictograms (GHS) :



Signal word (GHS) :

Warning

Hazard statements (GHS) :

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Precautionary statements (GHS) :

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands, forearms and face thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

If skin irritation or rash occurs: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Benzyl acetate	Benzyl acetate Acetic acid, benzyl ester Acetic acid, phenylmethyl ester Benzyl ethanoate Phenylmethyl acetate BENZYL ACETATE	CAS-No.: 140-11-4	5 – 10
Phenethyl alcohol	Phenethyl alcohol .beta.-Phenylethyl alcohol phenylethyl alcohol .beta.-Phenylethylalcohol 2-Phenyl-1-ethanol PHENETHYL ALCOHOL 2-Phenylethan-1-ol Phenylethyl alcohol 2-Phenylethyl alcohol 2-Phenylethanol 2-Phenethyl alcohol Phenethanol Methanol, benzyl- Ethanol, 2-phenyl- Benzyl carbinol Benzeneethanol	CAS-No.: 60-12-8	5 – 10
.alpha.-Terpineol	.alpha.-Terpineol 3-Cyclohexene-1-methanol, .alpha.,.alpha.,4-trimethyl- p-Menth-1-en-8-ol Cyclohex-3-ene-1-hydroxymethyl, .alpha.,.alpha.,4-trimethyl- 2-Ethylhexyl salicylate 2-(4-Methylcyclohex-3-en-1-yl)propan-2-ol	CAS-No.: 98-55-5	5 – 10

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Name	Chemical name / Synonyms	Product identifier	%
Linalool	Linalool 3,7-Dimethyl-1,6-octadien-3-ol Linalyl alcohol Octa-1,6-dien-3-ol, 3,7-dimethyl- 1,6-Octadien-3-ol, 3,7-dimethyl- Linalool (synthetic) LINALOOL 3,7-Dimethylocta-1,6-dien-3-ol linalool, (+/-)- Linalool, (+/-)-	CAS-No.: 78-70-6	5 – 10
D-Limonene	D-Limonene Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (4R)- Cyclohexene, 1-methyl-4-(1-methylethenyl)-, (R)- (R)-p-Mentha-1,8-diene p-Mentha-1,8-diene, (R)-(+)- Limonene, D- Menthadiene, 1,8(9)-p- d-Limonene Limonene, d- (4R)-1-Methyl-4-(1-methylethenyl)cyclohexene (4R)-p-Mentha-1,8-diene 1-Methyl-4-prop-1-en-2-yl-cyclohexene (R)-1-Methyl-4-(1-methylethenyl)cyclohexene d-LIMONENE (R)-1-Methyl-4-(1-methylethenyl)cyclohex-1-ene (R)-4-Isopropenyl-1-methylcyclohex-1-ene Limonene Limonene, (+)-	CAS-No.: 5989-27-5	2 – 5
4-tert-Butylcyclohexyl acetate	4-tert-Butylcyclohexyl acetate Cyclohexanol, 4-(1,1-dimethylethyl)-, acetate Acetic acid, (4-tert-butylcyclohexyl) ester Cyclohexanol, 4-tert-butyl-, acetate Cyclohexanol, 4-(1,1-dimethylethyl)-, 1-acetate Acetate, 4-tert-butylcyclohexyl p-tert-Butylcyclohexyl acetate 4-(1,1-Dimethylethyl)cyclohexanol acetate 4-TERT-BUTYLCYCLOHEXYL ACETATE 4-tert-butylcyclohexyl acetate 4-tert-Butylcyclohexan-1-yl acetate	CAS-No.: 32210-23-4	2 – 5
Lauryl aldehyde	Lauryl aldehyde Aldehyde C-12 LAURALDEHYDE Dodecyl aldehyde Lauraldehyde Lauric aldehyde 1-Dodecyl aldehyde Dodecanal 1-Dodecanal	CAS-No.: 112-54-9	2 – 5

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Name	Chemical name / Synonyms	Product identifier	%
Benzenepentanol, .gamma.-methyl-	Benzenepentanol, .gamma.-methyl- 3-Methyl-5-phenylpentanol Pentanol, 4-methyl-5-phenyl- Phenylisohexanol PHENYLISOHEXANOL .gamma.-Methylbenzenepentanol phenylisohexanol 3-Methyl-5-phenylpentan-1-ol 3-Methyl-5-phenyl-1-pentanol	CAS-No.: 55066-48-3	2 – 5
Geraniol (Fragrance)	Geraniol Geraniol alcohol Geranyl alcohol Guanol Lemonol 2,6-Octadien-1-ol, 3,7-dimethyl-, (2E)- 2,6-Octadien-1-ol, 3,7-dimethyl-, (E)- 2,6-Octadien-1-ol, 3,7-dimethyl-, trans- GERANIOL (2E)-3,7-Dimethyl-2,6-octadienol (2E)-3,7-Dimethylocta-2,6-dien-1-ol 3,7-Dimethyl-2,6-octadien-1-ol, (E)- (E)-3,7-Dimethylocta-2,6-dien-1-ol	CAS-No.: 106-24-1	1 – 2
Citronellol	Citronellol 2,6-Dimethyl-2-octen-8-ol 3,7-Dimethyl-6-octen-1-ol 6-Octen-1-ol, 3,7-dimethyl- DL-Citronellol CITRONELLOL 3,7-Dimethyl-6-octenol .beta.-Citronellol 3,7-Dimethyloct-6-en-1-ol .beta.-Citronellol, (+/-)- (.+.-)-Citronellol (.+.-)-.beta.-Citronellol	CAS-No.: 106-22-9	1 – 2
10-Undecanal	10-Undecanal Undec-10-enal 10-Undecen-1-al 1-Undecen-10-al 10-Undecenal 10-Undecylenealdehyde Undecylenic aldehyde Undec-10-en-1-al 10-Hendecenal Aldehyde C-11 UNDECYLENAL Undecylenal	CAS-No.: 112-45-8	1 – 2

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Name	Chemical name / Synonyms	Product identifier	%
Linalyl acetate	Linalyl acetate Acetate, 3,7-dimethyl-1,6-octadien-3-yl Acetic acid linalool ester 3,7-Dimethyl-1,6-octadien-3-ol acetate 3,7-Dimethyl-1,6-octadien-3-yl acetate Linalool acetate 1,6-Octadien-3-ol, 3,7-dimethyl-, acetate 1,6-Octadien-3-ol, 3,7-dimethyl-, 3-acetate LINALYL ACETATE Lynalyl acetate 1,5-Dimethyl-1-ethenylhex-4-enyl acetate 3,7-Dimethylocta-1,6-dien-3-yl acetate Bergamot mint oil 3,7-Dimethylocta-1,6-dien-3-ol acetate 3,7-Dimethylocta-1,6-diene-3-yl acetate	CAS-No.: 115-95-7	1 – 2
7-Hydroxycitronellal	7-Hydroxycitronellal 7-Hydroxy-3,7-dimethyloctanal Hydroxycitronellal dimethylacetal HYDROXYCITRONELLAL 1-Octanal, 3,7-dimethyl-7-hydroxy- Lilyl aldehyde Laurine 7-Hydroxycitronellal Hydroxycitronellal 7-Hydroxy-3,7-dimethyloctan-1-al 3,7-Dimethyl-7-hydroxyoctanal Citronellal, hydroxy- Citronellal hydrate	CAS-No.: 107-75-5	1 – 2
2,6-Octadien-1-ol, 3,7-dimethyl-, (Z)-	2,6-Octadien-1-ol, 3,7-dimethyl-, (Z)- 2-cis-3,7-Dimethyl-2,6-octadien-1-ol Nerol 2,6-Octadien-1-ol, 3,7-dimethyl-, (2Z)- (2Z)-3,7-Dimethyl-2,6-octadienol (Z)-Nerol (2Z)-3,7-Dimethylocta-2,6-dien-1-ol 3,7-Dimethyl-2,6-octadien-1-ol, (Z)- NEROL	CAS-No.: 106-25-2	0.1 – 1
3-Cyclohexene-1-carboxaldehyde, 4-(4-methyl-3-pentenyl)-	3-Cyclohexene-1-carboxaldehyde, 4-(4-methyl-3-pentenyl)- 4-(4-Methyl-3-pentenyl)cyclohex-3-ene-1-carbaldehyde Isohexenyl cyclohexenyl carboxaldehyde 3-Cyclohexene-1-carboxaldehyde, 4-(4-methyl-3-penten-1-yl)- Cyclohex-3-ene-1-carboxaldehyde, 4-(4-methyl-3-pentenyl)- para-Myrac aldehyde Myrac aldehyde 4-(4-Methyl-3-penten-1-yl)-3-cyclohexen-1-carboxaldehyde ISOHEXENYL CYCLOPENTENYL CARBALDEHYDE 4-(4-Methylpent-3-en-1-yl)cyclohex-3-ene-1-carbaldehyde Isohexenyltetrahydrobenzaldehyde	CAS-No.: 37677-14-8	0.1 – 1

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Name	Chemical name / Synonyms	Product identifier	%
Allyl 3-cyclohexylpropionate	Allyl 3-cyclohexylpropionate Cyclohexanepropionic acid, allyl ester Allyl 3-cyclohexylpropanoate allyl cyclohexanepropionate ALLYL CYCLOHEXYLPROPIONATE Allyl cyclohexylpropionete 2-Propenyl cyclohexanepropionate Cyclohexanepropanoic acid, 2-propen-1-yl ester Allyl cyclohexylpropionate Propionate, 3-cyclohexyl-, allyl Allyl cyclohexanepropionate Allyl 3-cyclohexylpropionate	CAS-No.: 2705-87-5	0.1 – 1
Eugenol	Eugenol 4-Allyl-1-hydroxy-2-methoxybenzene 4-Allyl-2-methoxyphenol 4-Allylcatechol-2-methyl ether Eugenic acid p-Eugenol 1,3,4-Eugenol 1-Hydroxy-2-methoxy-4-allylbenzene 1-Hydroxy-2-methoxy-4-prop-2-enylbenzene 4-Hydroxy-3-methoxyallylbenzene 2-Methoxy-1-hydroxy-4-allylbenzene 2-Methoxy-4-(2-propenyl)phenol 2-Methoxy-4-allylphenol 2-Methoxy-4-prop-2-enylphenol Phenol, 2-methoxy-4-(2-propenyl)- Phenol, 4-allyl-2-methoxy- Synthetic eugenol Phenol, 2-methoxy-4-(2-propen-1-yl)- Etheric oil EUGENOL 1-Hydroxy-2-methoxy-4-propenylbenzene	CAS-No.: 97-53-0	0.1 – 1
Cineole	Cineole 1,8-Epoxy-p-menthane CINEOLE eucalyptol 1,3,3-Trimethyl-2-oxabicyclo[2.2.2]octane EUCALYPTOL 2-Oxabicyclo[2.2.2]octane, 1,3,3-trimethyl- p-Menthane, 1,8-epoxy- Eucalyptol Cineole 1,8-Cineole Bicyclo[2.2.2]octane, 1,3,3-trimethyl-2-oxa-	CAS-No.: 470-82-6	0.1 – 1

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Name	Chemical name / Synonyms	Product identifier	%
3-Cyclohexene-1-carboxaldehyde, dimethyl-	3-Cyclohexene-1-carboxaldehyde, dimethyl- Cyclohex-3-ene-1-carboxaldehyde, dimethyl- 3-Cyclohexene-1-carboxaldehyde, 2,4(or 3,5)-dimethyl- Dimethyl tetrahydrobenzaldehyde Dimethylcyclohex-3-ene-1-carbaldehyde Dimethylcyclohex-3-ene-1-carboxaldehyde Dimethylcyclohex-3-ene-1-carbaldehyde (isomer mixture) Dimethylcyclohex-3-ene-1-carbaldehyde (mixed isomers) 2,4(or 3,5)-Dimethyl-3-cyclohexene-1-carboxaldehyde DIMETHYLTETRAHYDRO BENZALDEHYDE (2,4)- and (3,5)- and (3,6)-Dimethyl-3-cyclohexenylcarbaldehyde 2,4(or 3,5)-Dimethyl-3-cyclohexene-1-carboxaldehyde	CAS-No.: 68737-61-1	0.1 – 1
2-Buten-1-one, 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)-	2-Buten-1-one, 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)- .delta.-Damascone 1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one .delta.-1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one Rose ketone-3 1-(2,6,6-Trimethyl-3-cyclohexenyl)-2-buten-1-one But-2-en-1-one, 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)- Damascone, .delta.- ROSE KETONE-3 DELTA-DAMASCONE .delta.-damascone 1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)but-2-en-1-one	CAS-No.: 57378-68-4	0.1 – 1
Undecanal, 2-methyl-	Undecanal, 2-methyl- Methyl n-nonyl acetaldehyde Methylnonylacetaldehyde 2-Methylundecanal Aldehyde C-12 MNA Methylundecanal	CAS-No.: 110-41-8	0.1 – 1
Tetrahydro-4-methyl-2-phenyl-2H-pyran	Tetrahydro-4-methyl-2-phenyl-2H-pyran 2H-Pyran, tetrahydro-4-methyl-2-phenyl- 4-Methyl-2-phenyltetrahydropyran TETRAHYDRO-METHYL-PHENYL-PYRAN 4-Methyl-2-phenyltetrahydro-2H-pyran	CAS-No.: 94201-73-7	0.1 – 1

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

First-aid measures after ingestion : Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.
Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Carbon dioxide (CO₂), dry chemical powder, foam.
Unsuitable extinguishing media : Do not use water jet.

5.2. Specific hazards arising from the chemical

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon. Irritating vapours.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain spill, then place in a suitable container. Minimise dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin and eyes. Avoid breathing dust, mist or spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke. Good housekeeping is important to prevent accumulation of dust. Ensure adequate ventilation.
Hygiene measures	: Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place.
--------------------	---

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Flight Fresh Deodorant Disc (Fresh Breeze)	
No additional information available	
Benzyl acetate (140-11-4)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen
Phenethyl alcohol (60-12-8)	
No additional information available	
.alpha.-Terpineol (98-55-5)	
No additional information available	
Linalool (78-70-6)	
No additional information available	
D-Limonene (5989-27-5)	
USA - AIHA - Occupational Exposure Limits	
WEEL TWA	30 ppm
4-tert-Butylcyclohexyl acetate (32210-23-4)	
No additional information available	
Lauryl aldehyde (112-54-9)	
No additional information available	
Benzenepentanol, .gamma.-methyl- (55066-48-3)	
No additional information available	
Geraniol (106-24-1)	
No additional information available	

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Citronellol (106-22-9)
No additional information available
10-Undecanal (112-45-8)
No additional information available
Linalyl acetate (115-95-7)
No additional information available
2,6-Octadien-1-ol, 3,7-dimethyl-, (Z)- (106-25-2)
No additional information available
3-Cyclohexene-1-carboxaldehyde, 4-(4-methyl-3-pentenyl)- (37677-14-8)
No additional information available
Allyl 3-cyclohexylpropionate (2705-87-5)
No additional information available
Eugenol (97-53-0)
No additional information available
Cineole (470-82-6)
No additional information available
3-Cyclohexene-1-carboxaldehyde, dimethyl- (68737-61-1)
No additional information available
2-Buten-1-one, 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)- (57378-68-4)
No additional information available
Undecanal, 2-methyl- (110-41-8)
No additional information available
Tetrahydro-4-methyl-2-phenyl-2H-pyran (94201-73-7)
No additional information available
7-Hydroxycitronellal (107-75-5)
No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station. Provide readily accessible eye wash stations and safety showers.
Environmental exposure controls	: Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:
None necessary under normal conditions of use. Wear suitable gloves resistant to chemical penetration if handling large quantities
Eye protection:
None necessary under normal conditions of use. Wear safety glasses or goggles if handling large quantities.

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Absorbant disc.
Colour	: Colourless
Odour	: Pleasant
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: Not flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C / 68 °F	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: Not explosive.
Oxidising properties	: Not oxidising.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon. Irritating vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.
Acute toxicity (dermal) : Not classified.
Acute toxicity (inhalation) : Not classified.

Benzyl acetate (140-11-4)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit

Phenethyl alcohol (60-12-8)

LD50 oral rat	1609 mg/kg (Source: EPA_HP V)
LD50 dermal rabbit	2535 mg/kg (Source: EPA_HP V)
LC50 inhalation rat	> 4.63 mg/l/4h
ATE CA (oral)	1609 mg/kg bodyweight
ATE CA (Dermal)	2535 mg/kg bodyweight

.alpha.-Terpineol (98-55-5)

LD50 oral rat	5170 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg (Source: ECHA_API)
ATE CA (oral)	5170 mg/kg bodyweight

Linalool (78-70-6)

LD50 oral rat	2790 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 2440 - 3180
LD50 dermal rabbit	5610 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 3578 - 8374
ATE CA (oral)	2790 mg/kg bodyweight
ATE CA (Dermal)	5610 mg/kg bodyweight

D-Limonene (5989-27-5)

LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rabbit	> 5 g/kg (Source: CHEMVIEW)

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

4-tert-Butylcyclohexyl acetate (32210-23-4)	
LD50 oral rat	5 g/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5000 mg/kg (Source: CHEMVIEW)
ATE CA (oral)	5000 mg/kg bodyweight
Lauryl aldehyde (112-54-9)	
LD50 oral rat	23 g/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA_API)
ATE CA (oral)	23000 mg/kg bodyweight
Benzenepentanol, .gamma.-methyl- (55066-48-3)	
LD50 dermal rat	> 5000 mg/kg (Source: ECHA_API)
ATE CA (oral)	500 mg/kg bodyweight
Geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg bodyweight Animal: rat, 95% CL: 2840 - 4570
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit
ATE CA (oral)	3600 mg/kg bodyweight
Citronellol (106-22-9)	
LD50 oral rat	3450 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	2650 mg/kg (Source: EPA_HPV)
ATE CA (oral)	3450 mg/kg bodyweight
ATE CA (Dermal)	2650 mg/kg bodyweight
10-Undecanal (112-45-8)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Remarks on results: other:
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA_API)
Linalyl acetate (115-95-7)	
LD50 oral rat	> 9000 mg/kg bodyweight Animal: rat
LD50 dermal rabbit	> 5000 mg/kg (Source: ECHA)
LC50 inhalation rat	> 18.94 mg/l (Exposure time: 8 h Source: ECHA)
2,6-Octadien-1-ol, 3,7-dimethyl-, (Z)- (106-25-2)	
LD50 oral rat	4500 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 5 g/kg (Source: NLM_CIP)
ATE CA (oral)	4500 mg/kg bodyweight
3-Cyclohexene-1-carboxaldehyde, 4-(4-methyl-3-pentenyl)- (37677-14-8)	
LD50 oral rat	7500 µl/kg (Source: NLM_CIP)
ATE CA (oral)	7500 mg/kg bodyweight

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Allyl 3-cyclohexylpropionate (2705-87-5)	
LD50 oral rat	585 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 480 - 714
LD50 dermal rabbit	1600 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 430 - 2770
ATE CA (oral)	380 mg/kg bodyweight
ATE CA (Dermal)	1600 mg/kg bodyweight
Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg (Source: NZ_CCID)
ATE CA (oral)	1500 mg/kg bodyweight
Cineole (470-82-6)	
LD50 oral rat	2480 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal))
ATE CA (oral)	2480 mg/kg bodyweight
2-Buten-1-one, 1-(2,6,6-trimethyl-3-cyclohexen-1-yl)- (57378-68-4)	
ATE CA (oral)	500 mg/kg bodyweight
Undecanal, 2-methyl- (110-41-8)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 10 ml/kg (Source: ECHA_API)
Tetrahydro-4-methyl-2-phenyl-2H-pyran (94201-73-7)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: EU Method B.1 (Acute Toxicity (Oral))
7-Hydroxycitronellal (107-75-5)	
LD50 oral rat	> 5 g/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
D-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
National Toxicology Program (NTP) Status	Evidence of Carcinogenicity
Geraniol (106-24-1)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Eugenol (97-53-0)	
IARC group	3 - Not classifiable
7-Hydroxycitronellal (107-75-5)	
NOAEL (chronic, oral, animal/male, 2 years)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies), Remarks on results: other:Effect type: toxicity (migrated information)
Reproductive toxicity	: Not classified.
D-Limonene (5989-27-5)	
NOAEL (animal/female, F0/P)	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
Lauryl aldehyde (112-54-9)	
LOAEL (animal/female, F0/P)	1500 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:
STOT-single exposure	: Not classified.
STOT-repeated exposure	: Not classified.
Phenethyl alcohol (60-12-8)	
NOAEL (dermal, rat/rabbit, 90 days)	510 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
.alpha.-Terpineol (98-55-5)	
NOAEL (oral, rat, 90 days)	≥ 314 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
Linalool (78-70-6)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Benzenepentanol, .gamma.-methyl- (55066-48-3)	
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents), Guideline: EU Method B.7 (Repeated Dose (28 Days) Toxicity (Oral))
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Geraniol (106-24-1)	
NOAEL (dermal, rat/rabbit, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 421 (Reproduction/Developmental Toxicity Screening test), Guideline: other:EPA OPPTS 870.3550 (Reproduction/Developmental Toxicity Screening Test)
Citronellol (106-22-9)	
NOAEL (oral, rat, 90 days)	2000 mg/kg bodyweight Animal: rat, Guideline: other:Specifications for the Conduct of Studies to Evaluate the Toxic and Carcinogenic Potential of Chemical, Biological, and Physical Agents in Laboratory Animals for the National Toxicology Program (NTP)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.063 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)
10-Undecanal (112-45-8)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity Study in Rodents)

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Linalyl acetate (115-95-7)	
NOAEL (dermal, rat/rabbit, 90 days)	250 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)
Eugenol (97-53-0)	
NOAEL (subchronic, oral, animal/male, 90 days)	≥ 900 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: other:
NOAEL (subchronic, oral, animal/female, 90 days)	450 mg/kg bodyweight Animal: mouse, Animal sex: female, Guideline: other:
Cineole (470-82-6)	
NOAEL (oral, rat, 90 days)	600 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: other:japanese Ministry of Economy Trade and Industry Guideline for 28 day repeat oral dose toxicity study., Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents), Guideline: EPA OPPTS 870.3150 (90-Day Oral Toxicity in Nonrodents)
7-Hydroxycitronellal (107-75-5)	
NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
NOAEL (subchronic, oral, animal/male, 90 days)	60 mg/kg bodyweight Animal: mouse, Animal sex: male, Guideline: OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies)
Aspiration hazard	: Not classified.
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information	: Likely routes of exposure: inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Benzyl acetate (140-11-4)	
LC50 - Fish [1]	4 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	17 mg/l Test organisms (species): Daphnia magna
NOEC chronic fish	0.92 mg/l Test organisms (species): Oryzias latipes Duration: '28 d'
Phenethyl alcohol (60-12-8)	
LC50 - Fish [1]	215 – 464 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	287.17 mg/l (Exposure time: 48 h - Species: Daphnia magna)
.alpha.-Terpineol (98-55-5)	
LC50 - Fish [1]	70 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	73 mg/l Test organisms (species): Daphnia magna
Linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Linalool (78-70-6)	
EC50 - Crustacea [1]	59 mg/l Test organisms (species): Daphnia magna
D-Limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.36 mg/l Test organisms (species): Daphnia magna
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss Source: EPA)
EC50 - Crustacea [2]	0.51 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	0.115 mg/l Test organisms (species): other:For freshwater invertebrates, species frequently include Daphnia magna or Daphnia pulex. Duration: '16 d'
4-tert-Butylcyclohexyl acetate (32210-23-4)	
LC50 - Fish [1]	8.6 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static] Source: ECHA)
EC50 - Crustacea [1]	5.3 mg/l Test organisms (species): Daphnia magna
Lauryl aldehyde (112-54-9)	
LC50 - Fish [1]	≈ 2.6 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 0.27 mg/l Test organisms (species): Daphnia magna
Benzenepentanol, .gamma.-methyl- (55066-48-3)	
LC50 - Fish [1]	13.3 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	13 mg/l Test organisms (species): Daphnia magna
Geraniol (106-24-1)	
LC50 - Fish [1]	≈ 22 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	10.8 mg/l Test organisms (species): Daphnia magna
Citronellol (106-22-9)	
LC50 - Fish [1]	14.66 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	17.48 mg/l Test organisms (species): Daphnia magna
10-Undecanal (112-45-8)	
LC50 - Fish [1]	> 18.72 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	1.3 mg/l Test organisms (species): Daphnia magna
EC50 - Crustacea [2]	> 5 mg/l Test organisms (species): Daphnia magna
NOEC (chronic)	0.201 mg/l Test organisms (species): Daphnia sp. Duration: '21 d'
NOEC chronic fish	0.213 mg/l Test organisms (species): other: Duration: '28 d'
Linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l Test organisms (species): Cyprinus carpio
EC50 - Crustacea [1]	15 mg/l Test organisms (species): Daphnia magna
2,6-Octadien-1-ol, 3,7-dimethyl-, (Z)- (106-25-2)	
LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
EC50 - Crustacea [1]	32.4 mg/l Test organisms (species): Daphnia magna

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Allyl 3-cyclohexylpropionate (2705-87-5)	
LC50 - Fish [1]	0.13 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	3.8 mg/l Test organisms (species): Daphnia magna
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static] Source: ECHA)
EC50 - Crustacea [1]	1.05 mg/l Test organisms (species): Daphnia magna
Cineole (470-82-6)	
LC50 - Fish [1]	57 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
Undecanal, 2-methyl- (110-41-8)	
LC50 - Fish [1]	0.35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static] Source: ECHA)
Tetrahydro-4-methyl-2-phenyl-2H-pyran (94201-73-7)	
EC50 - Crustacea [1]	21 mg/l Test organisms (species): Daphnia magna
7-Hydroxycitronellal (107-75-5)	
LC50 - Fish [1]	31.6 mg/l Test organisms (species): Leuciscus idus
EC50 - Crustacea [1]	410 mg/l Test organisms (species): Daphnia magna
12.2. Persistence and degradability	
Flight Fresh Deodorant Disc (Fresh Breeze)	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Flight Fresh Deodorant Disc (Fresh Breeze)	
Bioaccumulative potential	Not established.
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water	1.96 (at 25 °C (at pH 7)
Phenethyl alcohol (60-12-8)	
Partition coefficient n-octanol/water	1.36 (at 20 °C (at pH 7)
Linalool (78-70-6)	
Partition coefficient n-octanol/water	2.9 (at 20 °C (at pH 7)
D-Limonene (5989-27-5)	
Partition coefficient n-octanol/water	4.38 (at 37 °C (at pH 7.2)
4-tert-Butylcyclohexyl acetate (32210-23-4)	
Partition coefficient n-octanol/water	4.8 (at 25 °C)
Lauryl aldehyde (112-54-9)	
Partition coefficient n-octanol/water	4.9 (at 35 °C)

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Benzenepentanol, -gamma.-methyl- (55066-48-3)	
Partition coefficient n-octanol/water	2.7 (at 30 °C)
Geraniol (106-24-1)	
Partition coefficient n-octanol/water	2.6 (at 25 °C)
Citronellol (106-22-9)	
Partition coefficient n-octanol/water	3.41 (at 25 °C)
10-Undecanal (112-45-8)	
Partition coefficient n-octanol/water	4.672 (at 25 °C)
Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water	3.9 (at 25 °C)
2,6-Octadien-1-ol, 3,7-dimethyl-, (Z)- (106-25-2)	
Partition coefficient n-octanol/water	2.76 (at 30 °C (at pH 6.5)
Allyl 3-cyclohexylpropionate (2705-87-5)	
Partition coefficient n-octanol/water	4.28 (at 20 °C (at pH 5.3)
Eugenol (97-53-0)	
Partition coefficient n-octanol/water	1.83 (at 30 °C (at pH 5.5)
Cineole (470-82-6)	
Partition coefficient n-octanol/water	3.4
Undecanal, 2-methyl- (110-41-8)	
Partition coefficient n-octanol/water	4.9 (at 35 °C)
Tetrahydro-4-methyl-2-phenyl-2H-pyran (94201-73-7)	
Partition coefficient n-octanol/water	3.43 (at 30 °C (at pH 7)
7-Hydroxycitronellal (107-75-5)	
Partition coefficient n-octanol/water	1.68 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : No other effects known.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

14.1. UN number

UN-No.(DOT)	: Not applicable
UN-No. (TDG)	: UN3077
UN-No. (IMDG)	: UN3077
UN-No. (IATA)	: UN3077

14.2. UN proper shipping name

Proper Shipping Name (DOT)	: Not applicable
Proper Shipping Name (TDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (D-Limonene and Lauryl aldehyde)
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (D-Limonene and Lauryl aldehyde)
Proper Shipping Name (IATA)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (D-Limonene and Lauryl aldehyde)

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT)	: Not applicable
----------------------------------	------------------

TDG

Transport hazard class(es) (TDG)	: 9
Hazard labels (TDG)	: 9



IMDG

Transport hazard class(es) (IMDG)	: 9
	: 9



IATA

Transport hazard class(es) (IATA)	: 9
	: 9



14.4. Packing group

Packing group (DOT)	: Not applicable
Packing group (TDG)	: III
Packing group (IMDG)	: III
Packing group (IATA)	: III

14.5. Environmental hazards

Other information	: No supplementary information available.
-------------------	---

Flight Fresh Deodorant Disc (Fresh Breeze)

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

14.6. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1 Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

According to the Hazard Communication Standard (CFR29 1910.1200) and the Hazardous Products Regulations (HPR) as amended

Revision date : 09/25/2024

Other information : None.

Prepared by : Nexreg Compliance Inc.

www.Nexreg.com



Full text of hazard classes and H-statements

Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.