

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : V-Clean Supreme
Product code : Formula: LB-VCLEAN
Part #: LB-VCLEAN/QT

1.2. Recommended use and restrictions on use

Recommended use : Cleaning agent

1.3. Supplier

Distributor

Celeste Industries Corporation
8007 Industrial Park Road
Easton, Maryland 21601 USA
T 1-410-822-5775

info@celestecorp.com - www.celestecorp.com

Distributor

ITW Permatex Canada
2360 Bristol Circle, Ste 101
Oakville, ON Canada L6H 6M5
1-800-241-8334

1.4. Emergency telephone number

Emergency number : For Chemical Emergency, Spill, Leak, Fire, Exposure or Accident call CHEMTREC (24 hours) within USA and CANADA: 1-800-424-9300; Outside USA and Canada (collect call accepted): 1-703-527-3883

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS classification

Not classified.

2.2. GHS Label elements, including precautionary statements

GHS labelling

No labelling applicable

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

V-Clean Supreme

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Ethanol,2-amino-	Ethanol,2-amino- 2-Hydroxyethylamine / Monoethanolamine / Ethanol, 2-amino- / 2-Aminoethanol / Aminoethanol / ETHANOLAMINE / MEA	CAS-No.: 141-43-5	0.1 - 1

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Carbon dioxide (CO ₂), Dry chemical powder, Water spray.
Unsuitable extinguishing media	: Do not use water jet.

5.2. Specific hazards arising from the chemical

Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon.
-------------	---

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
------------------	--

V-Clean Supreme

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

- For containment : Absorb and/or contain spill with inert material (sand, vermiculite or other appropriate material), then place in suitable container. Do not flush into surface water or sewer system. Wear recommended personal protective equipment.
- Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Provide ventilation.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
- Hygiene measures : Wash contaminated clothing before reuse. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

V-Clean Supreme	
No additional information available	
Ethanol,2-amino- (141-43-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanolamine
ACGIH OEL TWA	3 ppm
ACGIH OEL STEL	6 ppm
Remark (ACGIH)	TLV® Basis: Eye & skin irr
Regulatory reference	ACGIH 2021
USA - OSHA - Occupational Exposure Limits	
Local name	Ethanolamine
OSHA PEL TWA	6 mg/m ³
	3 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

V-Clean Supreme

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

Ethanol,2-amino- (141-43-5)	
USA - IDLH - Occupational Exposure Limits	
IDLH	30 ppm
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL TWA	8 mg/m ³
	3 ppm
NIOSH REL STEL	15 mg/m ³
	6 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:
Wear suitable gloves. Consult glove manufacturer's product information on material suitability and material thickness.
Eye protection:
Safety glasses or goggles are recommended when using product.
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:
In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. SDSs cannot provide detailed and complete respiratory protection guidelines. Selection of respiratory protection must be done by a qualified person who has assessed the work environment.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Thin liquid.
Colour	: Clear
Odour	: Neutral
Odour threshold	: No data available
pH	: 10 – 11
Melting point	: No data available
Freezing point	: 0 °C
Boiling point	: 100 °C
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: Not flammable.
Vapour pressure	: No data available
Relative vapour density at 20°C / 68 °F	: No data available
Relative density	: No data available
Density	: 0.95 – 1.05
Solubility	: Water: Soluble

V-Clean Supreme

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified.
Acute toxicity (dermal)	: Not classified.
Acute toxicity (inhalation)	: Not classified.

Ethanol,2-amino- (141-43-5)

LD50 oral rat	1720 mg/kg (Source: NLM_CIP)
LD50 dermal rabbit	1000 mg/kg (Source: JAPAN_GHS)
LC50 inhalation rat	> 1.3 mg/l (Exposure time: 6 h Source: ECHA_API)
ATE CA (oral)	1720 mg/kg bodyweight
ATE CA (Dermal)	1000 mg/kg bodyweight
ATE CA (Gases)	4500 ppmv/4h
ATE CA (vapours)	11 mg/l/4h
ATE CA (dust,mist)	1.5 mg/l/4h

V-Clean Supreme

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

Skin corrosion/irritation	: Not classified. pH: 10 – 11
Serious eye damage/irritation	: Not classified. pH: 10 – 11
Respiratory or skin sensitisation	: Not classified.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: Not classified.
Reproductive toxicity	: Not classified.

Ethanol,2-amino- (141-43-5)	
NOAEL (animal/male, F0/P)	1000 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)
NOAEL (animal/female, F0/P)	300 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Guideline: other:, Guideline: EPA OPPTS 870.3800 (Reproduction and Fertility Effects)

STOT-single exposure : Not classified.

Ethanol,2-amino- (141-43-5)	
STOT-single exposure	May cause respiratory irritation.

: Not classified.

STOT-repeated exposure

Ethanol,2-amino- (141-43-5)	
NOAEL (oral, rat, 90 days)	300 mg/kg bodyweight Animal: rat, Guideline: other:OECD Guideline 416 (Two-generation reproduction toxicity study)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.01 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study), Guideline: EU Method B.8 (Subacute Inhalation Toxicity: 28-Day Study)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard	: Not classified.
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Ethanol,2-amino- (141-43-5)	
LC50 - Fish [1]	227 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through] Source: IUCLID)
EC50 - Crustacea [1]	65 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	3684 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static] Source: IUCLID)
ErC50 algae	2.5 mg/l
NOEC (chronic)	0.85 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	1.24 mg/l Test organisms (species): Oryzias latipes Duration: '41 d'

V-Clean Supreme

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

12.2. Persistence and degradability

V-Clean Supreme

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

V-Clean Supreme

Bioaccumulative potential	Not established.
---------------------------	------------------

Ethanol,2-amino- (141-43-5)

Partition coefficient n-octanol/water	-2.3 (at 25 °C (at pH 6.8-7.3)
---------------------------------------	--------------------------------

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other information : No other effects known.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

SECTION 14: Transport information

In accordance with DOT / TDG

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT)	: Not applicable
Proper Shipping Name (TDG)	: Not applicable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT)	: Not applicable
----------------------------------	------------------

TDG

Transport hazard class(es) (TDG)	: Not applicable
----------------------------------	------------------

14.4. Packing group

Packing group (DOT)	: Not applicable
Packing group (TDG)	: Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

V-Clean Supreme

Safety Data Sheet

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

14.6. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1 Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

15.2. International regulations

No additional information available

15.3. US State regulations

 **WARNING:** This product can expose you to Diethanolamine, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

According to the Hazard Communication Standard and the Hazardous Products Regulations (HPR) WHMIS

Revision date : 04/02/2024
Other information : None.
Prepared by : Nexreg Compliance Inc.
www.Nexreg.com



Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.